



PATENT

Customer No. 22,852

Attorney Docket No. 05225.0213

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

Hirotsada SASAKI

Application No.: 09/890,407

Filed: July 31, 2001

For: ELEVATOR EMERGENCY STOP
DEVICE

)
)
) Group Art Unit: 3652

) Examiner: Thuy Tran
)
)

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

RESPONSE TO ELECTION OF SPECIES REQUIREMENT

In an Office Action dated May 16, 2003, the Examiner required an election of one of the following three species under PCT Rule 13.1:

Species A, Figures 4 and 5;

Species B, Figures 6 and 7; and

Species C, Figures 9 and 10;

Applicant provisionally elects Species A (Figs. 4 and 5). At least claims 1-3 are "readable" on Species A. Applicant submits that at least claims 1 and 2 are generic.

FINNEGAN
HENDERSON
FARABOW
GARRETT &
DUNNER LLP

1300 I Street, NW
Washington, DC 20005
202.408.4000
Fax 202.408.4400
www.finnegan.com

RECEIVED
JUL 17 2003
GROUP 3600

Please grant any extensions of time required to enter this response and charge any additional required fees to our Deposit Account No. 06-0916.

Respectfully submitted,

FINNEGAN, HENDERSON, FARABOW,
GARRETT & DUNNER, L.L.P.

Dated: July 14, 2003

By: 

Chi H. Kang
Reg. No. 50,623

FINNEGAN
HENDERSON
FARABOW
GARRETT &
DUNNER LLP

1300 I Street, NW
Washington, DC 20005
202.408.4000
Fax 202.408.4400
www.finnegan.com